CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,
Volume 81, 1988

Adams, C.T., 905, 1019
Adams, J.R., 1027
Agee, H.R., 1163
Agnello, A.M., 785
Agudelo-Silva, F., 152
Ahmad, M., 45
Ahrens, E.H., 545, 1133
Alam, M.S., 934
Alexander, M.P., 403
Al-Izzi, M.A.J., 970
Ali, A.D., 1124
Al-Maliky, S.K., 970
Amri, A., 709
Annan, I.B., 649
Archer, T.L., 300, 1781
Argauer, R.J., 573
Arita, L.M., 1373
Armbrust, E.J., 368
Armstrong, J.W., 963, 1120
Arne, C.M., 1819
Arthur, F., 1283
Arthur, F.H., 74, 387
Axtell, R.C., 888

Backman, C.B., 1478
Backus, E.A., 1819
Bailey, J.B., 899
Baker, P.B., 785
Baker, P.S., 1068
Ballard, J.B., 1641
Ball, H.J., 488
Banks, W.A., 83, 905, 1019
Barfield, C.S., 1506
Bariola, L.A., 628
Barnard, J., 634
Barney, R.J., 215, 658, 995
Barstow, R.B., 1785
Bazan, H.O., 545
Beach, R.M., 310, 344, 684
Beardsley, J.W. Jr., 142
Beasley, C.A., 673
Beck, H.W. 1506
Beckwith, R.C., 880
Beeman, R.W., 28
Behle, R.W., 1097
Bell, D.S., 1241
Bell, R.J., 381
Bell, R.L., 1394
Bellows, T.S. Jr., 892, 899
Bennett, G.W., 225
Benschoter, C.A., 1665
Benson, E.P., 391
Berberet, R.C., 749, 1768
Berge, J.-B., 1008
Bergman, M.K., 649
Berisford, C.W., 1443
Blank, R.H., 1241
Blenk, R.G., 65
Blodgett, S.L., 1456
Blumberg, D., 1581
Boethel, D.J., 1057, 1217
Bohmann, D.J., 1536
Boiteau, G., 208
Bonjour, E.L., 1073
Borden, J.H., 274, 1715
Bordovsky, J.P., 1781
Bouhssini, M.E., 709
Boulet, B., 220
Bowie, M.H., 40
Boyd, V.K., 268, 573
Bradley, J.R. Jr., 705
Brandenburg, R.L., 927
Branson, T.F., 410
Breene, R.G., 1494
Brenner, R.J., 531, 1404
Brewer, F.D., 1102
Brooks, W.M., 1033
Brower, J.H., 944
Brown, G.C., 641, 1803
Brown, H.E., 184
Brown, M.W., 1170
Brown, S.A., 963, 1120
Brown, T.M., 49, 65
Browning, H.W., 1089, 1775
Bruwer, I.J., 1178
Bryant, J.E., 130
Buck, N.A., 1022
Bull, D.L., 449
Buntin, G.D., 201
Burditt, A.K. Jr., 859
Burg, J.G., 1426
Burleigh, J.G., 527
Burton, J.W., 615
Burts, E.C., 599
Bush, L., 1754
Butt, B.A., 1394
Byford, R.L., 1562, 1567
Bynum, E.D. Jr., 300, 1781
Bystrak, P.G., 268

Caballero, P., 910
Caddel, J.L., 1768
Calkins, C.O., 1163
Calvin, D.D., 335, 1203
Campbell, W.V., 615
Cantelo, W.W., 195
Capinera, J.L., 821, 1313
Carmer, S.G., 1265
Carson, W., 608
Carter, M.R., 1760
Catangui, M.A., 400
Cervone, T.H., 102
Chamberlain, J.D., 98
Chamberlain, W.F., 1420, 1656
Chambers, D.M., 391, 1611
Chandler, L.D., 1089
Chang, V., 228
Chapman, R.B., 40, 863
Chew, V., 1431
Cilek, J.E., 1662
Clarke, S.R., 1443
Clayton, T.E., 322, 808
Coffelt, M.A., 290
Coffman, C.C., 261
Cogburn, R.R., 722
Collins, A.M., 796
Collins, P.J., 1810
Collison, C.H., 1426
Cone, W.W., 1196
Conley, J., 57
Cooksey, L.M., 1133
Cooper, R.J., 261
Coudriet, D.L., 34, 1499
Croft, B.A., 766, 1516
Crowder, L.A., 1022, 1536
Cuany, A., 1008
Culliney, T.W., 142
Cunningham, R.T., 1052
Cuperus, G.W., 749
Currier, D.R., 1765
Curtice, W.J., 679
Cutkomp, L.K., 459

D'Auria, J.M., 274
Daigle, C.J., 1057
Daly, J.C., 984, 1000
Danka, R.G., 796
Davey, R.B., 545, 1133
Davis, F.M., 423, 1474
Davis, R., 718
Debarr, G.L., 1443
Deeter, B., 628
Dennehy, T.J., 442, 586, 1271, 1551
Devilbiss, E.D., 937
Dickens, J.C., 1102
Dickerson, W.A., 937
Dickson, M.H., 634
Diggs, D., 1027
Dimmanfass, L.P., 641, 1803
Dix, M.E., 1681
Doane, J.F., 1816
Dodge, K., 261
Dombrosky, S.A., 281
Dougherty, E.M., 1027
Douglass, L.W., 268
Dowd, P.F., 1014
Drane, J.W., 1478
Drea, J.J., 142
Dritz, D.A., 158
Drummond, R.O., 1140
Dubois, N.R., 1672
Dupras, E.F. Jr., 1128, 1648
Dybas, R.A., 1575

Eash, J.A., 770
Eastman, C.E., 172, 1251
Easton, E.R., 400
Eckenrode, C.J., 508
Essa, N.M., 459
Elkinton, J.S., 1706
Elliott, N.C., 501, 1383
El-Sayed, G.N., 1586
Entz, T., 668
Epsky, N.D., 821, 1313
Errampalli, D.D., 1586
Estesen, B.J., 1022

Fargo, W.S., 1073
Farrar, C.A., 1107
Feingstein, A., 621
Ferro, D.N., 654
Fielding, D.J., 1377
Fink, J.N., 1000
Fletcher, J., 172
Flexner, J.L., 766, 1516
Flint, H.M., 679
Flynn, J.L., 349
Forrester, N.W., 1000
Foster, R.E., 1721
Fournier, D., 1008
Fowler, G.W., 743
Frank, C.L., 1668
Fuller, B.W., 127, 349, 713
Furutani, S.C., 1373

Garcia, D.L., 1120
Garcia, J.M., 1124
Gardner, W.A., 463
Gaston, L.K., 899
Geden, C.J., 800
George, J.E., 545, 1133
Georghiou, G.P., 110
Georgis, R., 1318
Ghidiu, G.M., 887
Gibson, R.W., 361
Gilstrap, F.E., 1089
Glover, T.J., 1271
Gold, R.E., 1408, 1641
Gonzalez, A., 741
Goodenough, J.L., 1624, 1750
Gordon, F.C., 1181
Grafton-Cardwell, E.E., 770
Granett, J., 770
Graves, J.B., 1521, 1529
Gray, M.E., 178, 1398
Green, A.St.J., 1575
Green, B., 1562
Gries, G., 1715
Guillot, F.S., 555
Gunasena, G.H., 93
Guthrie, W.D., 1792

Haddrell, R.L., 1810
Hagenbuch, B.E., 531
Hagler, J.R., 1304
Hagstrum, D.W., 488
Hain, F.P., 1033
Halfhill, J.D., 873
Hall, R.W., 877, 1503
Halliday, W.R., 74, 1283
Hamed, M.S., 1295
Hamerski, M.E., 877, 1503
Hansen, J.D., 963
Hara, A.H., 582
Harbo, J.R., 1606
Hardman, J.M., 1737
Hare, J.D., 914
Harper, A.M., 1799
Harris, R.L., 449, 545
Hart, S.V., 615
Hart, W., 1431
Hartsell, P.L., 1437
Hartstack, A.W., 1624
Harvey, J.M., 1120
Harvey, T.L., 731
Hatchett, J.H., 709
Hatfield, J.L., 1620
Heath, R.R., 966, 1163
Hedin, P.A., 1474
Hellmich, R.L. II, 796
Hendricks, J., 1068
Hendricks, D.E., 1750
Henneberry, T.J., 322, 628, 673, 808
Hern, N.D., 863
Higgins, R.A., 1456
Highland, H.A., 955
Higley, L.G., 1
Hill, A.R., 257
Hill, H.S. Jr., 1611
Hinks, C.F., 1816
Hironaka, R., 246
Hogg, D.B., 749
Hohmann, C.L., 1307
Holliday, N.J., 1113
Holtzer, T.O., 488
Horowitz, A.R., 110
Hough-Goldstein, J., 354
Howitt, C.J., 1810
Hoy, C.W., 634
Hoy, M.A., 57, 476, 1539
Huang, H.C., 1799
Hull, L.A., 1732
Hungate, F.P., 859
Hung, C.F., 1277
Hunter, W.B., 1819
Hutchins, S.H., 1
Hutchison, W.D., 628, 673, 749

Inayatullah, C., 1246
Ingle, S., 1431
Ishaaya, I., 781, 1581

Jabbo, N.F., 970
Jackson, J.J., 410
Jamjanya, T., 697, 922
Jansson, R.K., 887
Jarvis, J.L., 1214
Jayaraj, S., 1369
Jensen, M.P., 1536
Jesudason, P., 1598
Jilani, G., 1226
Jimenez, H.O., 1768
Johnson, J.A., 376
Johnson, K.B., 304
Johnson, M.W., 123, 437
Jones, A.L., 949
Jones, R.A., 293
Justo, H.D. Jr., 1485

CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,
Volume 81, 1988

Adams, C.T., 905, 1019
Adams, J.R., 1027
Agee, H.R., 1163
Agnello, A.M., 785
Agudelo-Silva, F., 152
Ahmad, M., 45
Ahrens, E.H., 545, 1133
Alam, M.S., 934
Alexander, M.P., 403
Al-Izzi, M.A.J., 970
Ali, A.D., 1124
Al-Maliky, S.K., 970
Amri, A., 709
Annan, I.B., 649
Archer, T.L., 300, 1781
Argauer, R.J., 573
Arita, L.M., 1373
Armbrust, E.J., 368
Armstrong, J.W., 963, 1120
Arne, C.M., 1819
Arthur, F., 1283
Arthur, F.H., 74, 387
Axtell, R.C., 888

Backman, C.B., 1478
Backus, E.A., 1819
Bailey, J.B., 899
Baker, P.B., 785
Baker, P.S., 1068
Ballard, J.B., 1641
Ball, H.J., 488
Banks, W.A., 83, 905, 1019
Barfield, C.S., 1506
Bariola, L.A., 628
Barnard, J., 634
Barney, R.J., 215, 658, 995
Barstow, R.B., 1785
Bazan, H.O., 545
Beach, R.M., 310, 344, 684
Beardsley, J.W. Jr., 142
Beasley, C.A., 673
Beck, H.W. 1506
Beckwith, R.C., 880
Beeman, R.W., 28
Behle, R.W., 1097
Bell, D.S., 1241
Bell, R.J., 381
Bell, R.L., 1394
Bellows, T.S. Jr., 892, 899
Bennett, G.W., 225
Benschoter, C.A., 1665
Benson, E.P., 391
Berberet, R.C., 749, 1768
Berge, J.-B., 1008
Bergman, M.K., 649
Berisford, C.W., 1443
Blank, R.H., 1241
Blenk, R.G., 65
Blodgett, S.L., 1456
Blumberg, D., 1581
Boethel, D.J., 1057, 1217
Bohmann, D.J., 1536
Boiteau, G., 208
Bonjour, E.L., 1073
Borden, J.H., 274, 1715
Bordovsky, J.P., 1781
Bouhssini, M.E., 709
Boulet, B., 220
Bowie, M.H., 40
Boyd, V.K., 268, 573
Bradley, J.R. Jr., 705
Brandenburg, R.L., 927
Branson, T.F., 410
Breene, R.G., 1494
Brenner, R.J., 531, 1404
Brewer, F.D., 1102
Brooks, W.M., 1033
Brower, J.H., 944
Brown, G.C., 641, 1803
Brown, H.E., 184
Brown, M.W., 1170
Brown, S.A., 963, 1120
Brown, T.M., 49, 65
Browning, H.W., 1089, 1775
Bruwer, I.J., 1178
Bryant, J.E., 130
Buck, N.A., 1022
Bull, D.L., 449
Buntin, G.D., 201
Burditt, A.K. Jr., 859
Burg, J.G., 1426
Burleigh, J.G., 527
Burton, J.W., 615
Burts, E.C., 599
Bush, L., 1754
Butt, B.A., 1394
Byford, R.L., 1562, 1567
Bynum, E.D. Jr., 300, 1781
Bystrak, P.G., 268

Caballero, P., 910
Caddel, J.L., 1768
Calkins, C.O., 1163
Calvin, D.D., 335, 1203
Campbell, W.V., 615
Cantelo, W.W., 195
Capinera, J.L., 821, 1313
Carmer, S.G., 1265
Carson, W., 608
Carter, M.R., 1760
Catangui, M.A., 400
Cervone, T.H., 102
Chamberlain, J.D., 98
Chamberlain, W.F., 1420, 1656
Chambers, D.M., 391, 1611
Chandler, L.D., 1089
Chang, V., 228
Chapman, R.B., 40, 863
Chew, V., 1431
Cilek, J.E., 1662
Clarke, S.R., 1443
Clayton, T.E., 322, 808
Coffelt, M.A., 290
Coffman, C.C., 261
Cogburn, R.R., 722
Collins, A.M., 796
Collins, P.J., 1810
Collison, C.H., 1426
Cone, W.W., 1196
Conley, J., 57
Cooksey, L.M., 1133
Cooper, R.J., 261
Coudriet, D.L., 34, 1499
Croft, B.A., 766, 1516
Crowder, L.A., 1022, 1536
Cuany, A., 1008
Culliney, T.W., 142
Cunningham, R.T., 1052
Cuperus, G.W., 749
Currier, D.R., 1765
Curtice, W.J., 679
Cutkomp, L.K., 459

D'Auria, J.M., 274
Daigle, C.J., 1057
Daly, J.C., 984, 1000
Danka, R.G., 796
Davey, R.B., 545, 1133
Davis, F.M., 423, 1474
Davis, R., 718
Debarr, G.L., 1443
Deeter, B., 628
Dennehy, T.J., 442, 586, 1271, 1551
Devilbiss, E.D., 937
Dickens, J.C., 1102
Dickerson, W.A., 937
Dickson, M.H., 634
Diggs, D., 1027
Dimmanfass, L.P., 641, 1803
Dix, M.E., 1681
Doane, J.F., 1816
Dodge, K., 261
Dombrosky, S.A., 281
Dougherty, E.M., 1027
Douglass, L.W., 268
Dowd, P.F., 1014
Drane, J.W., 1478
Drea, J.J., 142
Dritz, D.A., 158
Drummond, R.O., 1140
Dubois, N.R., 1672
Dupras, E.F. Jr., 1128, 1648
Dybas, R.A., 1575

Eash, J.A., 770
Eastman, C.E., 172, 1251
Easton, E.R., 400
Eckenrode, C.J., 508
Essa, N.M., 459
Elkinton, J.S., 1706
Elliott, N.C., 501, 1383
El-Sayed, G.N., 1586
Entz, T., 668
Epsky, N.D., 821, 1313
Errampalli, D.D., 1586
Estesen, B.J., 1022

Fargo, W.S., 1073
Farrar, C.A., 1107
Feingstein, A., 621
Ferro, D.N., 654
Fielding, D.J., 1377
Fink, J.N., 1000
Fletcher, J., 172
Flexner, J.L., 766, 1516
Flint, H.M., 679
Flynn, J.L., 349
Forrester, N.W., 1000
Foster, R.E., 1721
Fournier, D., 1008
Fowler, G.W., 743
Frank, C.L., 1668
Fuller, B.W., 127, 349, 713
Furutani, S.C., 1373

Garcia, D.L., 1120
Garcia, J.M., 1124
Gardner, W.A., 463
Gaston, L.K., 899
Geden, C.J., 800
George, J.E., 545, 1133
Georghiou, G.P., 110
Georgis, R., 1318
Ghidiu, G.M., 887
Gibson, R.W., 361
Gilstrap, F.E., 1089
Glover, T.J., 1271
Gold, R.E., 1408, 1641
Gonzalez, A., 741
Goodenough, J.L., 1624, 1750
Gordon, F.C., 1181
Grafton-Cardwell, E.E., 770
Granett, J., 770
Graves, J.B., 1521, 1529
Gray, M.E., 178, 1398
Green, A.St.J., 1575
Green, B., 1562
Gries, G., 1715
Guillot, F.S., 555
Gunasena, G.H., 93
Guthrie, W.D., 1792

Haddrell, R.L., 1810
Hagenbuch, B.E., 531
Hagler, J.R., 1304
Hagstrum, D.W., 488
Hain, F.P., 1033
Halfhill, J.D., 873
Hall, R.W., 877, 1503
Halliday, W.R., 74, 1283
Hamed, M.S., 1295
Hamerski, M.E., 877, 1503
Hansen, J.D., 963
Hara, A.H., 582
Harbo, J.R., 1606
Hardman, J.M., 1737
Hare, J.D., 914
Harper, A.M., 1799
Harris, R.L., 449, 545
Hart, S.V., 615
Hart, W., 1431
Hartsell, P.L., 1437
Hartstack, A.W., 1624
Harvey, J.M., 1120
Harvey, T.L., 731
Hatchett, J.H., 709
Hatfield, J.L., 1620
Heath, R.R., 966, 1163
Hedin, P.A., 1474
Hellmich, R.L. II, 796
Hendricks, J., 1068
Hendricks, D.E., 1750
Henneberry, T.J., 322, 628, 673, 808
Hern, N.D., 863
Higgins, R.A., 1456
Highland, H.A., 955
Higley, L.G., 1
Hill, A.R., 257
Hill, H.S. Jr., 1611
Hinks, C.F., 1816
Hironaka, R., 246
Hogg, D.B., 749
Hohmann, C.L., 1307
Holliday, N.J., 1113
Holtzer, T.O., 488
Horowitz, A.R., 110
Hough-Goldstein, J., 354
Howitt, C.J., 1810
Hoy, C.W., 634
Hoy, M.A., 57, 476, 1539
Huang, H.C., 1799
Hull, L.A., 1732
Hungate, F.P., 859
Hung, C.F., 1277
Hunter, W.B., 1819
Hutchins, S.H., 1
Hutchison, W.D., 628, 673, 749

Inayatullah, C., 1246
Ingle, S., 1431
Ishaaya, I., 781, 1581

Jabbo, N.F., 970
Jackson, J.J., 410
Jamjanya, T., 697, 922
Jansson, R.K., 887
Jarvis, J.L., 1214
Jayaraj, S., 1369
Jensen, M.P., 1536
Jesudason, P., 1598
Jilani, G., 1226
Jimenez, H.O., 1768
Johnson, J.A., 376
Johnson, K.B., 304
Johnson, M.W., 123, 437
Jones, A.L., 949
Jones, R.A., 293
Justo, H.D. Jr., 1485

Kantack, B.H., 317
Kapusta, G., 368
Kard, B.M.R., 1033
Katayama, R.W., 527
Kazmierczak, R.F. Jr., 251
Keever, D.W., 727
Keil, C.B., 1592
Keith, D.L., 488
Kemp, W.P., 1258
Kerby, T.A., 1328
Kerns, D.L., 1754
Kerwin, J.L., 158
Khan, Z.R., 1080, 1338
Kieckhefer, R.W., 317, 501, 1383
King, J.E., 225
Kishaba, A.N., 1499
Kissam, J.B., 855
Klein, M., 621
Knapp, F.W., 1662
Knapp, M.C., 1203
Knowles, C.O., 1295, 1586
Knox, J., 1562
Knutson, A.E., 1474
Koehler, P.G., 531, 845, 1404
Koerber, T.W., 1668
Kogan, M., 1251
Kolodny-Hirsch, D.M., 1672
Kozub, G.C., 1799
Kryscio, R.J., 215
Kunz, S.E., 555

Ladd, T.L. Jr., 826, 1390
Lance, D.R., 1359
Landis, D.A., 1209
Landolt, P.J., 1163
Larew, H.G., 573, 593
Lashomb, J.H., 887
Layton, M.B., 1217
Lee, H.R., 1363, 1469
Lee, Y.H., 1352
Legg, D.E., 215, 658, 830, 995
Leibee, G.L., 738
Leigh, T.F., 1328
Lemke, L.A., 855
Leonard, B.R., 1521, 1529
Leonhardt, B.A., 268, 937
Leuschner, K., 327, 415
Levi, P.E., 1598
Lewis, B.E., 1304
Lhaloui, S., 488
Liedo, P., 1068
Lim, K.P., 1698
Lindgren, B.S., 1715
Linduska, J.J., 692
Litzkow, C., 1489
Lockwood, J.A., 1258
Lofgren, C.S., 83, 905, 1019
Lopez, J.D., 1624
Lopez, J.D. Jr., 1750
Loschiavo, S.R., 1231, 1237
Lowery, D.T., 208
Luck, R.F., 1307
Lye, B.-H., 189, 522
Lyle, W.M., 1781
Lysyk, T.J., 1045

Maciejewska, J., 1420, 1656
Mack, T.P., 1478
MacLellan, C.R., 1737
Maclauchlan, L.E., 274
Maier, C.T., 497
Makela, M.E., 989
Manglitz, G.R., 1760
Mantey, K.D., 1511
Manville, J.F., 1691
Mariappan, V., 1369
Martinat, P.J., 261
Martin, J.M., 673
Martin, T.J., 731
Martinson, T.E., 508
Mason, G.A., 123
Masuda, S., 406
Matter, J.J., 1420
Matthews-Gehringer, D., 354
McCaffery, A.R., 45
McGaughey, W.H., 28
McGiffen, M.E. Jr., 1265
McGovern, T.P., 826, 1052
McGovern, W.L., 1102
McGuire, M.R., 172
McInnis, D.O., 1637
McLeod, P., 741
McMullen, L.H., 1691
McNew, R.W., 1754
Melamed-Madjar, V., 621, 781
Mendel, Z., 1143
Mendelson, Z., 781
Menezes, T.D., 1120
Meng, T., 628
Mettus, E.V., 102
Michalides, T.J., 1140, 1152, 1446
Michels, G.J. Jr., 1097
Miller, G.T., 568, 867, 1437
Miller, J.A., 555
Miller, R.W., 1137
Miller, T.A., 431
Mitchell, E.R., 966
Mitchell, P.L., 1057, 1251
Mitchell, R.G., 286
Miura, T., 1128, 1648
Mizell, R.F. III, 1155
Moffitt, H.R., 1511
Moniz, J.J., 1373
Moore, R.E.B., 914
Moore, R.F., 78
Moorthy, P.N.K., 403
Morrill, W.L., 735
Morris, O.N., 135
Morse, J.G., 892, 899
Moursy, L.E., 459
Mulligan, F.S. III, 1128, 1648
Mullins, D.E., 1645
Murray, D.A.H., 984

Nakakihara, H., 608
Napit, K.B., 251
Nealis, V.G., 1045
Nelson, C.J., 927
Ng, S.S., 423
Nielsen, D.G., 877
Niemczyk, H.D., 1346
Nishijima, W.T., 582
North, R.C., 634
Norton, G.W., 251
Nyhus, K.A., 1792
Nyrop, J.P., 14, 508, 1561

Oatman, E.R., 1307
Ogawa, J.M., 1148, 1152
Ogg, C.L., 1408
O'Keeffe, L.E., 490, 1631
Oloumi-Sadeghi, H., 368
Onken, A.B., 300
Onsager, J.A., 1258
Othman, M.H., 1592
Ourth, D.D., 148
Ouye, M.T., 1431
Owens, J.C., 1304

Palanginan, E.L., 1485
Parker, F.D., 789
Parker, R.J., 949
Pasek, J.E., 1681
Patterson, R.S., 531, 845, 1404
Pavloff, A.M., 1521
Payne, G.T., 49, 65
Pedigo, L.P., 1
Peleg, B.A., 80
Penman, D.R., 40, 863
Perng, F.S., 1277
Perring, T.M., 816, 1107
Peters, D.C., 396, 1754
Petters, R.M., 102
Phillips, V.A., 1474
Pierce, H.D. Jr., 1715
Plapp, F.W. Jr., 989
Plimmer, J.R., 268
Ponelelit, C.G., 830
Porter, O.A., 527
Posey, A.F., 527
Post, S.L., 172
Poston, F.L., 335, 1203
Poswal, M.A., 749
Potter, D.A., 1181
Prabhaker, N., 34
Pralavorio, M., 1008
Preisler, H.K., 759, 1678
Pruett, J.H., 549
Pryor, N.W., 449
Puterka, G.J., 396, 1754

Quiros, C.F., 602
Quisenberry, S.S., 697, 910, 922, 1463

Radcliffe, E.B., 304, 361
Rajotte, E.G., 251, 1732
Raman, K.V., 361
Ranke, A.G., 1698
Reagan, T.E., 349, 713
Reardon, R.C., 573, 1672
Redfern, R.E., 1137
Redlinger, L.M., 387, 718
Regniere, J., 220
Reierson, D.A., 236
Reimer, K.J., 1691
Reisaig, W.H., 442, 586, 1551
Rensner, P.E., 1073
Rethwisch, M.D., 437
Retnakaran, A., 1698
Rice, R.E., 293, 1148, 1152, 1446
Ridgway, R.L., 937
Rietstra, I.P., 470
Rigney, C.J., 257
Rinderer, T.E., 796
Rizzieri, D.A., 1271
Roberts, S.J., 368
Robertson, J.L., 1678
Robinson, W., 57
Rodriguez, J.G., 830
Rodriguez-Del-Bosque, L.A., 1775
Roe, R.M., 1598
Rogers, R.E.L., 1737
Rose, R.L., 1288
Rosenberg, U., 1143
Rosenheim, J.A., 476, 1539
Ross, M.H., 1645
Royalty, R.N., 816
Rueda, B.P., 1080, 1226
Ruesink, W.G., 1265, 1377
Rummel, D.R., 1620
Russell, W.A., 1792
Rust, M.K., 236
Rutz, D.A., 804

Samson, P.R., 949
Sanchez, C.A., 1721
Sanders, R.D., 1148
Sato, D.M., 582
Saxena, R.C., 1080, 1226, 1338, 1369, 1485
Schaber, B.D., 668
Schaefer, C.H., 1128, 1648
Schal, C., 536
Scheffrahn, R.H., 850
Schiffhauer, D.E., 1155
Schoeman, A.S., 1178
Scholl, P.J., 246
Schotzko, D.J., 490, 1631
Schouest, L.P. Jr., 431
Schowalter, T.D., 281
Schroeder, P.C., 927
Schultz, G.A., 172
Schultz, P.B., 290
Schuster, D.J., 106
Schwalbe, C.P., 268
Schwinghammer, K.A., 549
Scott, J.G., 804
Sears, M.K., 1726
Sedlacek, J.D., 840
Senanayake, D.G., 1113
Shanks, C.H. Jr., 98
Shapiro, M., 1706
Sharma, H.C., 327, 415
Sharp, J.L., 406, 1431
Shaver, T.N., 184
Shelton, A.M., 634, 1062, 1186, 1190
Shetlar, D.J., 1318
Showers, W.B., 1323
Simmons, A.M., 812
Simmons, G.A., 743
Simonaitis, R.A., 718
Sinclair, E.R., 1810
Slosser, J.E., 1754
Smith, C.M., 910, 1288
Smith, D.M., 1304
Smith, J.W. Jr., 1775
Smits, P.H., 470
Smittle, B.J., 1019
Solomon, J.D., 834
Sorensen, E.L., 1760
Sosa, O. Jr., 663
Sower, L.L., 286
Sparks, A.N. Jr., 1057
Sparks, T.C., 115, 1014, 1288, 1521, 1529, 1562, 1567
Spike, B.P., 1450
Sproul, A.N., 257
Stafford, K.C. III, 1426
Stein, J.D., 1668
Stelzer, M.J., 880
Sterling, W.L., 1494
Stewart, J.G.G., 1726
Stipanovic, R.D., 93
Stone, W.D., 989
Stoner, K.A., 1062, 1186, 1190
Story, R.N., 189, 522
Straub, R.W., 578
Stuart, L.C., 1394
Subramanyam, BH., 459
Su, N.-Y., 850
Suharsono, 1469
Suleman, P.E., 1318
Summers, C.G., 515
Sun, C.N., 1277
Sundaram, A., 1698
Sutter, G.R., 410
Szaro, J.L., 959

Tabashnik, B.E., 437
Talekar, N.S., 1352, 1363, 1469
Tatman, K.M., 268
Taylor, D.B., 562, 1414
Taylor, J.L., 106
Taylor, K.S., 1022
Temeyer, K.B., 549, 1656
Terry, L.I., 1785
Tewari, G.C., 403
Thalman, R., 1431
Thalman, R.K., 406
Tingey, W.M., 361
Tipping, P.W., 830
Todd, J.W., 310, 344, 684
Tollefson, J.J., 178, 1398, 1450
Tolley, M.P., 1346
Tompkins, G.J., 1027
Toscano, N.C., 34, 110, 1107
Toth, S.J. Jr., 115
Townsend, L.H., 840
Trumble, J.T., 602, 608
Tumlinson, J.H., 966, 1163
Turgeon, J.J., 220
Tuttle, A.F., 654

Vail, P.V., 376
Valencia, L., 361
Vance, A.D., 1641
Van De Bann, H.E., 1511
Veierov, D., 621
Vick, K.W., 1489
Vidyasagar, P., 327
Vidyasagar, P., 415
Villani, M.G., 152, 484, 785
Villanueva, E.J., 1102
Vinson, S.B., 93
Vlak, J.M., 470
Voth, V., 608

Wadleigh, R.W., 776
Wagner, T.L., 1073
Walgenbach, D.D., 501, 1383
Waller, G.D., 1022
Walter, D.E., 821
Warthen, J.D., 1040
Warthen, J.D. Jr., 1637
Washino, R.K., 158

Waters, D.J., 1506
Watrin, C.G., 304
Watson, T.F., 1536
Weaver, B.A., 1489
Webb, J.C., 406, 963, 1489
Webb, K.E., 268, 573
Weber, D.C., 1170
Webster, J.A., 1246
Weiden, M., 1598
Weinstraub, J., 246
Weires, R.W., 442, 586, 1551
Welch, J.B., 241
Welch, S.M., 335, 1203
Welty, C., 442, 586
West, R.J., 1698
Westigard, P.H., 766, 1511, 1516
Wheeler, L.A., 274
White, W.D.G., 381
Whitford, F., 1323, 1463
Whitmore, R.C., 261
Widstrom, N.W., 727
Wieber, A.M., 573
Wilder, W.H., 1128, 1648
Wildman, T.E., 1196
Williams, D.F., 83
Williams, H.J., 93
Wilson, F.D., 959
Wilson, T.G., 22
Wiseman, B.R., 727
Wissinger, W.L., 102
Witkowski, J.F., 1765
Witz, J.A., 1624
Wood, L.T., 184
Woods, S.A., 1706
Worley, J., 184
Worner, S.P., 9, 973
Worrall, D.W., 1754
Wright, D.J., 1575
Wright, R.J., 152, 484, 785
Wright, V.L., 189
Wyatt, W., 1562
Wynholds, P.F., 1328
Xingquan, X., 1203
Yamamoto, A., 679
Yang, H.C., 1352
Yao, M.C., 1277
Yaron, I., 1581
Yeargan, K.V., 812
Yendol, W.G., 130
Yokoyama, V.Y., 568, 867, 1437
Young, C.E., 877
Youngman, R.R., 110
Yu, S.J., 119, 776
Zavaleta, L.R., 368
Zehnder, G., 1040
Zehnder, G.W., 692
Zettler, J.L., 74, 718, 1283
Zungoli, P.A., 391
Zungoli, P.A., 1611

CUMULATIVE KEY WORD INDEX

Journal of Economic Entomology, Volume 81, 1988

Abamectin, Arachnida, 1516
  chemical control, 106
  cyhexatin, 1516
  Liriomyza trifolii, 106
  MK936, 738
  resistance management, 1516
  toxicity, 738
Abnormal squares, *Frankliniella occidentalis*, 1785
  western flower thrips, 1785
Acari, insect control, 608
  natural enemies, 899
  photosynthesis, 608
  resistance, 731
  sticky-tape method, 731
  systemic pesticides, 899
  wheat, 731
Acaricides, Arachnida, 1140, 1551
  control, 1140
  Gulf Coast ticks, 1140
  pesticide resistance, 1551
  resistance management, 1551
Acetylene reduction, *Glycine max*, 1217
  Pseudoplusia includens, 1217
Acoustic device, fruit fly, 406
  mangoes, 406
Action sites, insecticides, 1323
  Ostrinia nubilalis, 1323
Aculops lycopersici, Arachnida, 816
  histology, 816
  tomatoes, 816
Acyrthosiphon pisum, bootstrap simulation, 749
  precision level, 749
Adhesives, silica aerogel, 1231
  stored-product insects, 1231
Adoretus sinicus, ethephon, 1373
  preferential feeding, 1373
Adult emergence, lodging, 1450
  root regrowth, 1450
Age-specific fecundity, age-specific survival, 501
  population growth rates, 501
Age-specific survival, age-specific fecundity, 501
  population growth rates, 501
Alfalfa, aphids, 1799
  biomass, 641
  Empoasca fabae, 368
  growth parameters, 368
  Hypera postica, 995
  root reserves, 641, 1803
  sampling, 995
  Sitona hispidulus, 1803
  Verticillium albo-atrum, 1799
Allelochemicals, growth inhibition, 93
Allelochemics, biotypes, 1080
  brown planthoppers, 1080
Alphitobius diaperinus, Nematoda, 800
  Steinernema feltiae, 800
Amyelois transitella, Gamma radiation, 376
  Plodia interpunctella, 376
Anarsia lineatella, *Quadraspidiotus perniciosus*, 293
  spray timings, 293
Anasa tristis, *Cucurbita pepo*, 1073
  plant phenology, 1073
Anastrepha, hot water, 1431
Anastrepha suspensa, cold storage, 1665
  methyl bromide, 1665
Anthonomus eugenii, bioassays, 1499
  sex attractant, 1499
Anthonomus grandis, oven aging, 936
  release rates, 936
Anthurium, chemical control, 582
  Nematoda, 582
Antibiosis, antixenosis, 602
  demographic statistics, 515
  insect biotypes, 709
  plant resistance, 515, 709
  preference, 1352
  resistance, 602
  resistance mechanism, 1352
Anticarsia gemmatalis, *Calleida decora*, 127
  pheromone traps, 966
  predation, 127
  Spodoptera frugiperda, 966
Antifeedants, defoliation, 914
  treatment thresholds, 914
Antixenosis, antibiosis, 602
  resistance, 602
Aonidiella aurantii, embryogenesis, 1581
  juvenile hormone analog, 88
  Saissetia oleae, 1581
  scale insects, 88
Aphid behavior, plant resistance, 1760
  resistance mechanisms, 1760
Aphids, alfalfa, 1799
  cereal crops, 317
  integrated pest management, 1107
  tomatoes, 1107
  Verticillium albo-atrum, 1799
  yield losses, 317
Aphodius spp., growth regulators, 855
  predation, 855
Apholate, gamma radiation, 459
  Oncopeltus fasciatus, 459
Aphytis melinus, biological control, 476
  integrated pest management, 476
Apis mellifera, comb size, 1606
  drone maturation, 796
  population, 1606
Apple injury levels, phytophagous mites, 1737
  pyrethroids, 1737
Apple macronutrients, *Eriosoma lanigerum*, 1170
  plant growth, 1170
Arachis hypogaea, economic injury, 1478
  Elasmopalpus lignosellus, 1478
Arachnida, abamectin, 1516
  acaricides, 1140, 1551
  Aculops lycopersici, 816
  Boophilus, 1133
  Boophilus microplus, 545
  behavioral response, 1155
  bioassay methods, 442, 586
  bulb mites, 1295
  cattle ticks, 1133
  cellulose acetate electrophoresis, 770
  control, 1140
  coumaphos resistance, 545
  cyhexatin, 442, 766, 1516
  European red mite, 14
  flucythrinate, 40
  flumethrin, 1133
  fluvalinate, 863
  Gulf Coast ticks, 1140
  heterogeneity, 759
  hexythiazox, 586
  histology, 816
  inheritance, 1008
  integrated control, 14
  isozymes, 770
  kiwifruit, 863
  metabolism, 1295
  mites, 1586
  mode of inheritance, 57
  organotins, 766
  Panonychus ulmi, 586
  pesticide resistance, 1271, 1551
  pesticides, 1295, 1586
  residual plots, 759
  resistance management, 1271, 1516, 1551
  resistance mechanisms, 545
  resistance, 40, 57, 442, 766, 1008
  sampling, 14
  selection, 1008
  Tetranychus, 770
  Tetranychus pacificus, 57
  Tetranychus urticae, 40, 863, 1155, 1271
  tolerance, 1155
  tomatoes, 816
  toxicity, 1586
Araneae, predation, 713
  survival, 713
Armoracia rusticana, mollicute, 172
  vector efficiency, 172
Armyworms, insect survey, 735
  pheromone traps, 735
Arsenic speciation (methylation), *Dendroctonus pseudotsuga*, 1691
Asparagus, control, 1196
  residues, 1196
Attractants, *Ceratitis capitata*, 1052
  structure-activity, 1052
Autographa californica, baculoviruses, 1027
  virus production, 1027
Auxiliary variable, double sampling with regression, 743
  insect sampling, 743
Avermectin, pesticides, 1575
  resistance, 1575
Azadirachta indica, insecticides, 593
  Liriomyza trifolii, 593

Bacillus thuringiensis, *Beta*-exotoxin, 463
  biological control, 28
  delta-endotoxin, 135
  Indianmeal moth, 28
  lethal dose, 130
  Lymantria dispar, 130, 1706
  Mamestra configurata, 135
  nuclear polyhedrosis virus, 1706
  Spodoptera frugiperda, 463
Baculoviruses, *Autographa californica*, 1027
  virus production, 1027
Baited jug traps, *Musca domestica*, 1426
  Ophyra aenescens, 1426
Banks grass mite, corn, 300
  sorghum, 300
Barbara, Contarinia, 1668
  Dioryctria, 1668
Barley, nonpreference, 1246
  plant resistance, 1246
Bees, disease, 789
Behavior, hardwood borers, 834
  host preference, 834
  movement, 1810
  repellency, 1810
Behavioral response, Arachnida, 1155
  Tetranychus urticae, 1155
  tolerance, 1155

Bemisia tabaci, DEF, 110
insecticide residue, 621
insecticide resistance, 34
Spodoptera littoralis, 621
synergism, 34, 110
Beneficials, residual toxicity, 892
residues, 892
Benzoylphenyl ures, diflubenzuron, 1698
hemlock loopers, 1698
Bermudagrass, resistance, 697
Spodoptera frugiperda, 697
Bermudagrass resistance, dietary conditioning, 1463
Spodoptera frugiperda, 1463
Beta-exotoxin, *Bacillus thuringiensis*, 463
delta-endotoxin, 1656
oriental rat fleas, 1656
Spodoptera frugiperda, 463
Bioaccumulation, control, 1648
developmental inhibitors, 1648
Bioassay methods, Arachnida, 442, 586
cyhexatin, 442
hexythiazox, 586
Panonychus ulmi, 586
resistance, 442
Bioassays *Anthonomus eugenii*, 1499
cotton, 431
extracts, 1637
male lures, 1637
resistance management, 431
sex attractant, 1499
Biocontrol, Nematoda, 1033
Phyllophaga, 1033
Polyphylla, 1033
Biological control, *Aphytis melinus*, 476
Bacillus thuringiensis, 28
chrysanthemums, 470
Eurasian pine adelgid, 142
entomogenous nematodes, 152, 484
Indianmeal moth, 28
integrated pest management, 476
Leucopis obscura, 142
Liriomyza spp., 123
mass production, 531
Nematoda, 484
nematodes, 1318
parasites, 944
parasitoid rearing, 1503
parasitoids, 123, 531
peanut pests, 944
Popillia japonica, 1318
sex ratio, 1503
Spodoptera exigua, 470
Biomass, alfalfa, 641
root reserves, 641
Biotechnology, *Drosophila melanogaster*, 22
insecticide resistance, 22
Biotypes, allelochemics, 1080
brown planthoppers, 1080
feeding behavior, 1338
host plant resistance, 396, 1754
Oryza sativa, 1338
Schizaphis graminum, 396, 1754
Bisazir, chemosterilant, 400
stable fly, 400
Blattella germanica, chlorpyrifos, 845
contamination, 1408
control, 1408
cypermethrin, 845
insecticides, 391
integrated pest management, 1404
juvenile hormone analogs, 225
photodynamic dyes, 1641
repellency, 391
resistance, 536
sanitation, 536
sterility, 1404
Supella longipalpa, 1641
toxic and developmental effects, 225
Bollworms, heat units, 1620
overwinter emergence, 1620
permethrin, 78
pheromones, 78
Boophilus, Arachnida, 1133
cattle ticks, 1133
flumethrin, 1133
Boophilus microplus, Arachnida, 545
coumaphos resistance, 545
resistance mechanisms, 545
Bootstrap simulation, *Acyrthosiphon pisum*, 749
precision level, 749
Boxelder bugs, epicarp lesions, 1148
Pistacia vera, 1148
Bracon hebetor, reproductive response, 102
5-fluorouracil, 102
Brassica oleracea var. *capitata*, plant resistance, 1062, 1186, 1190
Thrips tabaci, 1062, 1186, 1190
Broccoli, Chinese cabbage, 354
Delia radicum, 354
Brown planthoppers, allelochemics, 1080
biotypes, 1080
Bulb mites, Arachnida, 1295
metabolism, 1295
pesticides, 1295
Buprofezin, embryogenesis, 781
progeny development, 781
Burning, insects, 668
seed alfalfa, 668

Cabbage, damage prediction, 634
plant resistance, 634
Cabbage pest management, insecticide resistance, 437
resistance management, 437
Cacopsylla pyricola, pears, 1394
resistance, 1394
Cage screening, *Contarinia sorghicola*, 415
no-choice screening, 415
Calleida decora, *Anticarsia gemmatalis*, 127
predation, 127
Cantharidin, *Epicauta*, 1456
sampling, 1456
Cat fleas, insecticides, 236
residual efficacy, 236
Cattle, economic losses, 246
Hypoderma, 246
Cattle ticks, Arachnida, 1133
Boophilus, 1133
flumethrin, 1133
Cauliflower, Lepidoptera, 1726
thresholds, 1726
Celery, *Liriomyza trifolii*, 1721
yield losses, 1721
Cellulose acetate electrophoresis, Arachnida, 770
isozyme, 770
Tetranychus, 770
Ceratitis capitata, attractants, 1052
Dacus tryoni, 257
quarantine treatments, 257
structure-activity, 1052
Cereal crops, aphids, 317
yield losses, 317
Chemical applications, chemigation, 1781
nonemulsifiable oils, 1781
Chemical constitution and toxicity, fleas, 1420
insecticides, 1420
Chemical control, abamectin, 106
anthuriums, 582
fenoxycarb, 83
Liriomyza trifolii, 106
Nematoda, 582
red imported fire ant, 83
Chemical persistence, CME-134, 1128
mosquitoes, 1128
Chemigation, chemical applications, 1781
control, 1765
insecticides, 1765
nonemulsifiable oils, 1781
Chemosterilant, bisazir, 400
stable fly, 400
Chilocorus nigritus, citrus, 1178
residual toxicity, 1178
Chinese cabbage, broccoli, 354
Delia radicum, 354
Chlorpyrifos, *Blattella germanica*, 845
cypermethrin, 845
Choristoneura occidentalis, field testing, 880
microbials, 880
moisture, 1678
toxicity, 1678
Chrysanthemums, biological control, 470
Spodoptera exigua, 470
Citrus, *Chilocorus nigritus*, 1178
residual toxicity, 1178
CME-134, chemical persistence, 1128
mosquitoes, 1128
CME-13406, *Lepidosaphes decemlineata*, 654
Cobalt-60, *Prunus*, 859
Rhagoletis indifferens, 859
Cochliomyia hominivorax, collections, 241
gelled diets, 1414
mass rearing, 1414
wind-oriented traps, 241
Cockroaches, morphology, 1645
urban entomology, 1645
Cold storage, *Anastrepha suspensa*, 1665
methyl bromide, 1665
Collections, *Cochliomyia hominivorax*, 241
wind-oriented traps, 241
Colorado potato beetles, control, 1040
neem extract, 1040
sampling plans, 692
tomatoes, 692
Comb size, *Apis mellifera*, 1606
population, 1606
Constant temperature, *Diuraphis noxia*, 1097
reproduction, 1097
Contact toxicity, pyrethroids, 1443
scale insect outbreaks, 1443
Contamination, *Blattella germanica*, 1408
control, 1408
Contarinia, *Barbara*, 1668
cage screening, 415
Dioryctria, 1668
Control, Arachnida, 1140
acaricides, 1140
asparagus, 1196
bioaccumulation, 1648
Blattella germanica, 1408
chemigation, 1765
Colorado potato beetles, 1040
contamination, 1408
damage threshold, 599
developmental inhibitors, 1648
Gulf Coast ticks, 1140
insecticides, 1765
Matsucoccus, 1143
neem extract, 1040
Pinus halepensis, 1143
pears, 599
residues, 1196
Coptodisca negligens, cranberries, 497
leaf miner, 497
Coptotermes formosanus, detection, 1611
sampling, 1611
Corn, Banks grass mite, 300
damage, 840
damage assessments, 1775
Pentatomidae, 840
sorghum, 300

survival, 178
tillage, 178
Corn kernel damage, *Ostrinia nubilalis*, 1214
Cotton, bioassay, 431
gossyplure, 679
pheromones, 679
resistance management, 431
Coumaphos resistance, Arachnida, 545
Boophilus microplus, 545
resistance mechanisms, 545
Coumestrol, host plant resistance, 1288
insecticide toxicity, 1288
Cranberries, *Coptodisca negligens*, 497
leaf miner, 497
Cross-resistance, pyrathroid resistance, 1562
resistance management, 1562
Cruciferous transplants, insecticide-potting soil, 578
Cucurbita pepo, *Anasa tristis*, 1073
plant phenology, 1073
Cultural control, ethephon, 628
plant growth regulators, 628
Cydia pomonella, pears, 1511
diflubenzuron, 1511
Cyhexatin abamectin, 1516
Arachnida, 442, 766, 1516
bioassay methods, 442
organotins, 766
Cyhexatin resistance, 442, 766
resistance management, 1516
Cynodon dactylon, forage quality and yield, 922
leaf extracts, 910
Spodoptera frugiperda, 910, 922
Cypermethrin, *Blattella germanica*, 845
chlorpyrifos, 845
Cytochrome c reductase, cytochrome P-450, 1598
Epilachna varivestis, 1598
Cytochrome P-450, cytochrome c reductase, 1598
Epilachna varivestis, 1598

Dacus tryoni, *Ceratitis capitata*, 257
quarantine treatments, 257
Damage, corn, 840
dicofol, 887
Nezara viridula, 189
Pentatomidae, 840
potatoes, 887
tomatoes, 189
Damage assessments, corn, 1775
Damage prediction, cabbage, 634
plant resistance, 634
Damage threshold, control, 599
pears, 599
Darkling beetles, insect growth regulators, 1137
ivermectin, 1137
DDT resistance, pyrathroid resistance, 449
DEP, *Semisia tabac.*, 110
synergism, 110
Defoliation, antifeedants, 914
soybeans, 1363
treatment thresholds, 914
yield loss, 1363
Defoliator resistance, resistance mechanisms, 1469
soybeans, 1469
Degree-days, *Oscinella frit*, 1346
phenology, 1181
scale insects, 1181
threshold temperatures, 1346
Delia antiqua, dispersal, 508
onion maggot, 508
Delia radicum, broccoli, 354
Chinese cabbage, 354
Delta-endotoxin, *Bacillus thuringiensis*, 135
beta-exotoxin, 1656
Mamestra configurata, 135
oriental rat fleas, 1656
Demographic statistics, antibiosis, 515
plant resistance, 515
Dendroctonus ponderosae, monosodium methanearsonate, 274
toxicity, 274
Dendroctonus pseudotsugae, arsenic speciation (methylation), 1691
Density, host plants, 1631
pea leaf weevils, 1631
Detection, *Coptotermes formosanus*, 1611
sampling, 1611
Development, Heteroptera, 1377
jack pine budworms, 1045
temperature, 1045, 1377
Developmental inhibitors, bioaccumulation, 1648
control, 1648
Diabrotica barberi, *Diabrotica virgifera virgifera*, 1359, 1398
Diabrotica barberi, emergence, 1398
lures, 826
semiochemicals, 1359
structure-activity, 826
Diabrotica undecimpunctata howardi, feeding deterrent, 1209
simulated damage, 1209
Diabrotica virgifera virgifera, *Diabrotica barberi*, 1359, 1398
emergence, 1398
rearing, 410
semiochemicals, 1359
Diamondback moths, teflubenzuron resistance, 1277
Diapause, rearing methods, 1816
Sitodiplosis mosellana, 1816
Diatraea grandiosella, overwintering technique, 423
pheromone formulation, 1474
rearing, 423
southwestern corn borers, 1474
Diatraea saccharalis, economic injury level, 349
pubescence, 663
Saccharum spp., 663
sweet sorghum, 349
Dicofol, damage, 887
potatoes, 887
Dietary conditioning, bermudagrass resistance, 1463
Spodoptera frugiperda, 1463
Differential water flows, egg extraction, 1241
soil cores, 1241
Diflubenzuron, benzoylphenyl urea, 1698
Cydia pomonella, 1511
hemlock loopers, 1698
Lymantria dispar, 261
nontarget effects, 261
pears, 1511
Diiodomethyl *para*-tolyl sulfone, feeding deterrency, 850
slow-acting insecticides, 850
Dioryctria, *Barbara*, 1668
Contarinia, 1668
Leptoglossus occidentalis, 1681
Rhyacionia, 1681
Diplodia maydis, host plant resistance, 1792
Ostrinia nubilalis, 1792
Disease, bees, 789
Disinfestation, insect control, 873
irradiation, 873
Disparlure, gypsy moth, 268
mating disruption, 268
Dispensers, traps, 1068
trimedlure, 1068
Dispersal, *Delia antiqua*, 508
onion maggot, 508
ovarian development, 555
physiological age, 555
Dispersion behavior, *Lycoriella mali*, 195
Distribution, eggs, 1057
Spissistilus festinus, 1057
Diuraphis noxia, constant temperature, 1097
reproduction, 1097
Diurnal models, maritime climate, 9
thermal summation, 9
Double sampling with regression, auxiliary variable, 743
insect sampling, 743
Douglas-fir, insect damage, 281
seed production, 281
Drone saturation, *Apis mellifera*, 796
Drosophila melanogaster, biotechnology, 22
insecticide resistance, 22

Ecoclimatic assessments, exotic pests, 973
Economic benefits, extension, 251
integrated pest management, 251
Economic damage, imported fire ants, 905
potatoes, 905
radioisotope, 1019
Solenopsis invicta, 1019
Economic injury, *Arachis hypogaea*, 1478
Elasmopalpus lignosellus, 1478
Economic injury levels, *Diatraea saccharalis*, 349
injury guilds, 1
soybeans, 1
sweet sorghum, 349
Economic losses, cattle, 246
Hypoderma, 246
Economics, feeding injury, 1732
insecticide mixtures, 989
Platynota idaeusalis, 1732
synergism, 989
Ectomyelois ceratoniae, L-lysine-HCel, 970
Egg extraction, differential water flows, 1241
soil cores, 1241
Eggs, distribution, 1057
larvae, 403
Spissistilus festinus, 1057
staining, 403
Elasmopalpus lignosellus, *Arachis hypogaea*, 1478
economic injury, 1478
Elm leaf beetles, insecticides, 877
Xanthogaleruca luteola, 877
Embryogenesis, *Aonidiella aurantii*, 1581
buprofezin, 781
fumigation, 1437
progeny development, 781
Prunus sp., 1437
Saissetia oleae, 1581
Emergence, *Diabrotica barberi*, 1398
Diabrotica virgifera virgifera, 1398
Empoasca fabae, alfalfa, 368
growth parameters, 368
insect-plant interactions, 927
nymphal vertical distribution, 304
plant-water relations, 927
Solanum tuberosum, 304
Endosperm mutants, feeding activity, 830
oviposition, 830
Entomogenous nematodes, biological control, 152, 484
insect control, 1313
Nematoda, 484, 821, 1313
nematophagous microarthropods, 821
Steinernema feltiae, 821
Eoreuma loftini, mating behavior, 184
pheromones, 184
Epicarp lesions, boxelder bugs, 1148
Pistacia vera, 1148
Epicauta, cantharidin, 1456
sampling, 1456
Epilachna varivestis, cytochrome c reductase, 1598
cytochrome P-450, 1598
Eriosoma lanigerum, apple macronutriants, 1170
plant growth, 1170
Ethephon, *Adoretus sinicus*, 1373
cultural control, 628
plant growth regulators, 628
preferential feeding, 1373
Eucalyptus, *Phoracantha semipunctata*, 1124
Eucosma sonomana, phenology, 286
ponderosa pine, 286
Eurasian pine adelgid, biological control, 142
Leucopis obscura, 142

European corn borers, management, 335
Ostrinia nubilalis, 335, 1203
yield reduction, 1203
European red mites, Arachnida, 14
integrated control, 14
sampling, 14
Euschistus variolarius, growth deformities, 649
stink bug feeding effects, 649
Evolution, *Heliothis armigera*, 984
pyrethroids, 984
resistance, 984
Exotic pests, ecoclimatic assessments, 973
Experimental resistance, genetic selection, 49
insecticide resistance, 49
Extension, economic benefits, 251
integrated pest management, 251
Extracts, bioassays, 1637
male lures, 1637

Feeding, salivary sheaths, 1819
staining, 1819
Feeding activity, endosperm mutants, 830
oviposition, 830
Feeding behavior, biotypes, 1338
Oryza sativa, 1338
soybeans, 812
stylet sheath, 812
Feeding deterrency, diiodomethyl *para*-tolyl sulfone, 850
slow-acting insecticides, 850
Feeding deterrent, *Diabrotica undecimpunctata howardi*, 1209
simulated damage, 1209
Feeding injury, economics, 1732
Platynota idaeusalis, 1732
Feeding preference, Southern green stink bug, 522
stylet sheaths, 522
Fenoxycarb, chemical control, 83
red imported fire ant, 83
Field testing, *Choristoneura occidentalis*, 880
microbials, 880
Film bags, penetration, 955
5-fluorouracil, *Bracon hebetor*, 102
reproductive response, 102
Fleas, chemical constitution and toxicity, 1420
insecticides, 1420
Flight devices, insect flight, 1506
oviposition, 1506
Flucythrinate, Arachnida, 40
resistance, 40
Tetranychus urticae, 40
Flumethrin, Arachnida, 1133
Boophilus, 1133
cattle ticks, 1133
Fluvalinate, Arachnida, 863
kiwifruit, 863
Tetranychus urticae, 863
Forage quality and yield, *Cynodon dactylon*, 922
Spodoptera frugiperda, 922
Frankliniella occidentalis, abnormal squares, 1785
western flower thrips, 1785
Fruit, insect-plant interactions, 568
Prunus spp., 568
quarantine pests, 568
Fruit flies, acoustic device, 406
mangoes, 406
Fumigation, embryogenesis, 1437
oriental fruit flies, 1120
Prunus sp., 1437
stone fruit, 1120

Gamma radiation, *Amyelois transitella*, 376
apholate, 459
Oncopeltus fasciatus, 459
Plodia interpunctella, 376
Gelled diets, *Cochliomyia hominivorax*, 1414
mass rearing, 1414
Genetic improvement, integrated pest management, 1539
pesticide resistance, 1539
Genetic selection, experimental resistance, 49
insecticide resistance, 49
Glutathione transferase, organothiocyanate, 776
Glycine max, acetylene reduction, 1217
Heliothis zea, 615
host-plant resistance, 615
oviposition preference, 344
Pseudoplusia includens, 344, 1217
Gossypium hirsutum, host plant resistance, 959
Pectinophora gossypiella, 959
square abscission, 1328
square damage, 1328
Gossyplure, cotton, 679
pheromones, 679
Grain moisture content, grain protectants, 949
stored corn, 949
Grain protectants, grain moisture content, 949
stored corn, 949
Growth deformities, *Euschistus variolarius*, 649
stink bug feeding effects, 649
Growth inhibition, allelochemicals, 93
Growth parameters, alfalfa, 368
Empoasca fabae, 368
Growth regulator, *Aphodius* spp., 855
Musca domestica, 1662
predation, 855
sterility, 1662
Gulf Coast ticks, acaracides, 1140
Arachnida, 1140
control, 1140
Gypsy moths, disparlure, 268
mating disruption, 268

Hardwood borers, behavior, 834
host preference, 834
Heat units, bollworms, 1620
overwinter emergence, 1620

Heliothis, ovicidal persistence, 705
ovicide, 705
pyrethroids, 1000
resistance, 1000
Heliothis armigera, evolution, 984
pyrethroids, 984
resistance, 45, 984
Heliothis virescens, organophosphates, 1521
phenoloxidase, 148
pheromone trapping, 1750
Heliothis virescens pyrethroids, 65, 1521, 1529, 1536
resistance inheritance, 65
Serratia marcescens, 148
trap design, 1750
Heliothis zea, *Glycine max*, 615
host-plant resistance, 615
Hemileuca oliviae, pyrethroids, 1304
synergism, 1304
Hemlock loopers, benzoylphenyl urea, 1698
diflubenzuron, 1698
Heterogeneity, Arachnida, 759
residual plots, 759
Heteroptera, development, 1377
temperature, 1377
Hexythiazox, Arachnida, 586
bioassay methods, 586
Panonychus ulmi, 586
Hibernal quiescence, oviposition, 490
reproduction, 490
Hidden insect infestation, insect detection, 1489
insect sound detection, 1489
Histology, *Aculops lycopersici*, 816
Arachnida, 816
tomatoes, 816
Honey bees, pyrethroids, 1022
residues, 1022
Horn fly resistance, insecticide mixtures, 1567
resistance management, 1567
Host plant resistance, biotype, 396, 1754
coumestrol, 1288
Diplodia maydis, 1792
Glycine max, 615
Gossypium hirsutum, 959
Heliothis zea, 615
insecticide toxicity, 1288
nuclear polyhedrosis virus, 684
Ostrinia nubilalis, 1792
Pectinophora gossypiella, 959
plant resistance-biocontrol interactions,684
Schizaphis graminum, 396, 1754
soybean looper, 310
Thericaphis, 1768
velvetbean caterpillar, 310
Host plants, density, 1631
pea leaf weevils, 1631
Host preference, behavior, 834
hardwood borers, 834
Hot water, *Anastrepha*, 1431
Hypera postica, alfalfa, 995
precision, 658
principal components, 1265
ridge regression, 1265
sampling, 995
spatial distribution, 658
Hypoderma, cattle, 246
economic losses, 246
Hypoderma lineatum, protease, 549
trypsinlike enzyme, 549

Implants, injections, 573
systemic insecticides, 573
Imported fire ants, economic damage, 905
potatoes, 905
Indianmeal moth, *Bacillus thuringiensis*, 28
biological control, 28
Infester rows, resistance screening, 327
sprinkler irrigation, 327
Injections, implants, 573
systemic insecticides, 573
Injury guilds, economic injury levels, 1
soybeans, 1
Insect biotypes, antibiosis, 709
plant resistance, 709
Insect control, Acari, 608
disinfestation, 873
entomogenous nematodes, 1313
irradiation, 873
Nematoda, 1313
photosynthesis, 608
Insect damage, Douglas-fir, 281
peanuts, 387
pirimiphos-methyl, 387
seed production, 281
Insect detection, hidden insect infestation, 1489
insect sound detection, 1489
Insect distributions, insect occurrence, 1624
pheromone trapping, 1624
Insect flight, flight devices, 1506
oviposition, 1506
Insect growth regulators, darkling beetles, 1137
ivermectin, 1137
WO 13-5223,722
stored-product insects, 722
Insect occurrence, insect distributions, 1624
pheromone trapping, 1624
Insect sampling, auxiliary variable, 743
double sampling with regression, 743
Insect sound detection, hidden insect infestation, 1489
insect detection, 1489
Insect survey, armyworms, 735
pheromone traps, 735
Insecticide mixtures, economics, 989
horn fly resistance, 1567

resistance management, 1567
synergism, 989
Insecticide residues, *Bemisia tabaci*, 621
in-transit protectant, 718
Spodoptera littoralis, 621
stored grain, 718
Insecticide resistance, *Bemisia tabaci*, 34
biotechnology, 22
cabbage pest management, 437
Drosophila melanogaster, 22
experimental resistance, 49
genetic selection, 49
resistance management, 437
synergism, 34
Insecticide toxicity, coumestrol, 1288
host plant resistance, 1288
Insecticide-potting soil, cruciferous transplants, 578
Insecticides, action sites, 1323
Azadirachta indica, 593
Blattella germanica, 391
cat fleas, 236
chemical constitution and toxicity, 1420
chemigation, 1765
control, 1765
elm leaf beetles, 877
fleas, 1420
Liriomyza trifolii, 593
Ostrinia nubilalis, 1323
Pectinophora gossypiella, 673
repellency, 391
residual efficacy, 236
resistance, 74
sampling, 673
Tribolium castaneum, 74
Xanthogaleruca luteola, 877
Insect-plant interactions, *Empoasca fabae*, 927
fruit, 568
Prunus spp., 568, 867
plant-water relations, 927
quarantine pests, 568, 867
Insects, burning, 668
seed alfalfa, 668
Integrated control, Arachnida, 14
European red mite, 14
sampling, 14
Integrated pest management, aphids, 1107
Aphytis melinus, 476
biological control, 476
Blattella germanica, 1404
economic benefits, 251
extension, 251
genetic improvement, 1539
pesticide resistance, 1539
sterility, 1404
tomatoes, 1107
In-transit protectant, insecticide residues, 718
stored grain, 718
Intrinsic rate of increase, life tables, 1383
Rhopalosiphum maidis, 1383
Irradiation, disinfestation, 873
insect control, 873
pink bollworm, 322
pupae, 322
Isozymes Arachnida, 770
cellulose acetate electrophoresis, 770
Petranychous, 770
Ivermectin, darkling beetles, 1137
insect growth regulators, 1137

Jack pine budworms, development, 1045
temperature, 1045
Japanese beetles, phagostimulants, 1390
Popillia japonica, 1390
Juvenile hormone analogs, *Aonidiella aurantii*, 88
Blatella germanica, 225
scale insects, 88
toxic and developmental effects, 225

Kiwifruit, Arachnida, 863
fluvalinate, 863
Tetranychus urticae, 863

Lagenidium giganteum, mosquitoes, 158
safety tests, 158
Larvae, eggs, 403
staining, 403
Larval detection, papayas, 963
quarantine, 963
Larval nutrition, larval rearing, 562
screwworm, 562
Larval rearing, larval nutrition, 562
screwworm, 562
Leaf extracts, *Cynodon dactylon*, 910
Spodoptera frugiperda, 910
Leaf miner, *Coptodisca negligens*, 497
cranberries, 497
Leafminers, natural control, 1089
parasitism, 1089
Lepidoptera, cauliflower, 1726
thresholds, 1726
Leptinotarsa decemlineata, CME-13406, 654
Leptoglossus occidentalis, *Diorytrria*, 1681
Rhyacionia, 1681
Leptoglossus spp., *Pistacia vera*, 1152
Thyanta pallidovirens, 1152
Lethal dose, *Bacillus thuringiensis*, 130
Lymantria dispar, 130
Leucopis obscura, biological control, 142
Eurasian pine adelgid, 142
Life tables, intrinsic rate of increase, 1383
Rhopalosiphum maidis, 1383
Liriomyza spp., biological control, 123
parasitoids, 123
Liriomyza trifolii, abamectin, 106
Azadirachta indica, 593
celery, 1721
chemical control, 106
insecticides, 593
yield losses, 1721
L-lysine-HCel, *Ectomyelois ceratoniae*, 970
Lodging, adult emergence, 1450
root regrowth, 1450
Lures, *Diabrotica barberi*, 826
structure-activity, 826
Lycoriella mali, dispersion behavior, 195
methoprene, 1592
mushrooms, 195, 1592
Lymantria dispar, *Bacillus thuringiensis*, 130, 1706
diflubenzuron, 261
lethal dose, 130
microbial insecticides, 1672
new strains, 1668
nontarget effects, 261
nuclear polyhedrosis virus, 1706

Malathion, resistance, 381
Tribolium castaneum, 381
Male lures, bioassays, 1637
extracts, 1637
Mamestra configurata, *Bacillus thuringiensis*, 135
delta-endotoxin, 135
Management, European corn borer, 335
Ostrinia nubilalis, 335
Mangoes, acoustic device, 406
fruit flies, 406
Maritime climate, diurnal models, 9
thermal summation, 9
Markov chain, pest management, 1258
pest resurgence, 1258
Mass production, biological control, 531
parasitoid, 531
Mass rearing, *Cochliomyia hominivorax*, 1414
gelled diets, 1414
parasitoid quality, 1307
Mating behavior, *Boreume loftini*, 184
pheromones, 184
Mating disruption, disparlure, 268
gypsy moths, 268
Matsucoccus, control, 1143
Pinus halepensis, 1143
Megastigmus pistaciae, *Pistacia*, 1446
Merchant grain beetles, selective adsorption, 1237
silica aerogel, 1237
Metabolism, Arachnida, 1295
bulb mites, 1295
pesticides, 1295
Methoprene, *Lycoriella mali*, 1592
mushrooms, 1592
Methyl bromide, *Anastrepha suspensa*, 1665
cold storage, 1665
Microbial insecticides, *Lymantria dispar*, 1672
new strains, 1672
Microbials, *Choristoneura occidentalis*, 880
field testing, 880
Mites, Arachnida, 1586
pesticides, 1586
toxicity, 1586
MK936, abamectin, 738
toxicity, 738
Mode of inheritance, Arachnida, 57
resistance, 57
Tetranychus pacificus, 57
Moisture, *Choristoneura occidentalis*, 1678
toxicity, 1678
Mollicute, *Armoracia rusticana*, 172
vector efficiency, 172
Monosodium methanearsonate, *Dendroctonus ponderosae*, 274
toxicity, 274
Morphology, cockroaches, 1645
urban entomology, 1645
Mosquitoes, chemical persistence, 1128
CME-134, 1128
Lagenidium giganteum, 158
safety tests, 158
Moth emergence, oviposition, 808
plant phenology, 808
Movement, behavior, 1810
repellency, 1810
Musca domestica, baited jug traps, 1426
growth regulators, 1662
Ophyra aenescens, 1426
sterility, 1662
Mushrooms, dispersion behavior, 195
Lycoriella mali, 195, 1592
methoprene, 1592
Myzus persicae, *Solanum* spp., 361

Natural control, leafminers, 1089
parasitism, 1089
Natural enemies, Acari, 899
systemic pesticides, 899
Neem extract, Colorado potato beetles, 1040
control, 1040
Nematoda, *Alphitobius diaperinus*, 800
anthuriums, 582
biocontrol, 484, 1033
chemical control, 582
entomogenous nematodes, 484, 821, 1313
insect control, 1313
nematophagous microarthropods, 821
Phyllophaga, 1033
Polyphylla, 1033
Steinernema feltiae, 800, 821
Nematodes, biological control, 1318
Popillia japonica, 1318
Nematophagous microarthropods, entomogenous nematodes, 821
Nematoda, 821
Steinernema feltiae, 821
Nephotettix virescens, nonedible seed oils, 1369
rice, 1485

trap crops, 1485
tungro, 1369
New strains, *Lymantria dispar*, 1672
microbial insecticides, 1672
Nezara viridula, damage, 189
tomatoes, 189
No-choice screening, cage screening, 415
Contarinia sorghicola, 415
Nonedible seed oils, *Nephotettix virescens*, 1369
tungro, 1369
Nonemulsifiable oils, chemical applications, 1781
chemigation, 1781
Nonpreference, barley, 1246
plant resistance, 1246
Nontarget effects, diflubenzuron, 261
Lymantria dispar, 261
Nuclear polyhedrosis virus, *Bacillus thuringiensis*, 1706
host plant resistance, 684
Lymantria dispar, 1706
plant resistance-biocontrol interactions, 684
Nymphal vertical distribution, *Empoasca fabae*, 304
Solanum tuberosum, 304

Oncopeltus fasciatus, apholate, 459
gamma radiation, 459
Onion maggot, *Delia antiqua*, 508
dispersal, 508
Ophyra senescens, baited jug traps, 1426
Musca domestica, 1426
Organophosphates, *Heliothis virescens*, 1521
parasitoids, 804
pyrethroids, 804, 1521
Organothiocyanate, glutathione transferase, 776
Organotins, Arachnida, 766
cyhexatin, 766
resistance, 766
Oriental fruit flies, fumigation, 1120
stone fruit, 1120
Oriental rat fleas, beta-exotoxin, 1656
delta-endotoxin, 1656
Oryza glaberrima, *Oryza sativa*, 934
resistance, 934
Oryza sativa, biotypes, 1338
feeding behavior, 1338
Oryza glaberrima, 934
resistance, 934
Oscinella frit, degree-days, 1346
threshold temperatures, 1346
Ostrinia nubilalis, action sites, 1323
corn kernel damage, 1214
Diplodia maydis, 1792
European corn borer, 335, 1203
host plant resistance, 1792
insecticides, 1323
management, 335
yield reduction, 1203
Otiorhynchus sulcatus, pyrethroids, 98
Taxus, 98
Ovarian development, dispersal, 555
physiological age, 555
Ovan aging, *Anthonomus grandis*, 936
release rates, 936
Overwinter emergence, bollworms, 1620
heat units, 1620
Overwintering technique, *Diatraea grandiosella*, 423
rearing, 423
Ovicidal persistence, *Heliothis*
ovicide, 705
Ovicide, *Heliothis*, 705
ovicidal persistence, 705
Oviposition, endosperm mutants, 830
feeding activity, 830
flight devices, 1506
hibernal quiescence, 490
insect flight, 1506
moth emergence, 808
plant phenology, 808
reproduction, 490
Oviposition preference, *Glycine max*, 344
Pseudoplusia includens, 344

Panonychus ulmi, Arachnida, 586
bioassay methods, 586
hexythiazox, 586
Papayas, larval detection, 963
quarantine, 963
Parasites, biological control, 944
peanut pests, 944
Parasitism, leafminers, 1089
natural control, 1089
Parasitoid quality, mass-rearing, 1307
Parasitoid rearing, biological control, 1503
sex ratio, 1503
Parasitoids, biological control, 123, 531
Liriomyza spp., 123
mass production, 531
organophosphates, 804
pyrethroids, 804
Pea leaf weevils, density, 1631
host plants, 1631
Peanut pests, biological control, 944
parasites, 944
Peanuts, insect damage, 387
pirimiphos-methyl, 387
Pears, *Cacopsylla pyricola*, 1394
control, 599
Cydia pomonella, 1511
damage threshold, 599
diflubenzuron, 1511
resistance, 1394
Pectinophora gossypiella, *Gossypium hirsutum*, 959
host plant resistance, 959
insecticides, 673
sampling, 673
Penetration, film bags, 955

Pentatomidae, corn, 840
damage, 840
Permethrin, bollworm, 78
pheromones, 78
temperature coefficient, 115
Trichoplusia ni, 115
Pest management, Markov chain, 1258
pest resurgence, 1258
Pest resurgence, Markov chain, 1258
pest management, 1258
Pesticide resistance, acaricides, 1551
Arachnida, 1271, 1551
genetic improvement, 1539
integrated pest management, 1539
resistance management, 1271, 1551
Tetranychus urticae, 1271
Pesticides, Arachnida, 1295, 1586
avermectin, 1575
bulb mites, 1295
metabolism, 1295
mites, 1586
resistance, 1575
toxicity, 1586
Phagostimulants, Japanese beetles, 1390
Popillia japonica, 1390
Phenology, degree-days, 1181
Eucosma sonomana, 286
ponderosa pine, 286
scale insects, 1181
Phenoloxidase, *Heliothis virescens*, 148
Serratia marcescens, 148
Pheromone formulation, *Diatraea grandiosella*, 1474
southwestern corn borers, 1474
Pheromone trapping, *Heliothis virescens*, 1750
insect distributions, 1624
insect occurrence, 1624
trap design, 1750
Pheromone traps, *Anticarsia gemmatalis*, 966
armyworms, 735
insect survey, 735
Spodoptera frugiperda, 966
Pheromones, bollworm, 78
cotton, 679
Euxoenus loftini, 184
gossyplure, 679
mating behavior, 184
permethrin, 78
Scolytidae, 1715
semiochemicals, 1715
Tephritidae, 1163
Toxotrypana curvicauda, 1163
Phoracantha semipunctata, *Eucalyptus*, 1124
Phosphorus-32, *Pseudatomoscelis seriatus*, 1494
predation, 1494
Photodynamic dyes, *Blattella germanica*, 1641
Supella longipalpa, 1641
Photosynthesis, Acari, 608
insect control, 608
Phyllophaga, biocontrol, 1033
Nematoda, 1033
Polyphylla, 1033
Physiological age, dispersal, 555
ovarian development, 555
Phytophagous mites, apple injury levels, 1737
pyrethroids, 1737
Pink bollworms, irradiation, 322
pupae, 322
Pinus halepensis, control, 1143
Matsucoccus, 1143
Pirimiphos-methyl, insect damage, 387
peanuts, 387
Pistacia, *Megastigmus pistaciae*, 1446
Pistacia vera, boxelder bugs, 1148
epicarp lesions, 1148
Leptoglossus spp., 1152
Thyanta pallidovirens, 1152
Plant derivatives, repellency, 1126
Tribolium castaneum, 1126
Plant growth, apple macronutrients, 1170
Ericosoma lanigerum, 1170
Plant growth regulators, cultural control, 628
ethephon, 628
Rhododendron sp., 290
Stephanitis pyrioides, 290
Plant phenology, *Aonse tristis*, 1073
Cucurbita pepo, 1073
moth emergence, 808
oviposition, 808
Plant resistance, antibiosis, 515, 709
aphid behavior, 1760
barley, 1246
Brassica oleracea var. *capitata*, 1062, 1186, 1190
cabbage, 634
damage prediction, 634
demographic statistics, 515
insect biotypes, 709
nonpreference, 1246
resistance mechanisms, 1760
Thrips tabaci, 1062, 1186, 1190
Plant resistance-biocontrol interactions, host plant resistance, 684
nuclear polyhedrosis virus, 684
Plant-water relations, *Empoasca fabae*, 927
insect-plant interactions, 927
Platynota idaeusalis, economics, 1732
feeding injury, 1732
Plodia interpunctella, *Amyelois transitella*, 376
Gamma radiation, 376
Podisus maculiventris, prey species, 119
selective toxicity, 119
Polyphylla, biocontrol, 1033
Nematoda, 1033
Phyllophaga, 1033
Ponderosa pine, *Eucosma sonomana*, 286
phenology, 286

Popillia japonica, biological control, 1318
Japanese beetles, 1390
nematodes, 1318
phagostimulants, 1390
Population, *Apis mellifera*, 1606
comb size, 1606
Population growth rates, age-specific fecundity, 501
age-specific survival, 501
Postharvest, *Sitophilus*, 727
storage, 727
Potato insects, sampling, 1113
Potatoes, damage, 887
dicofol, 887
economic damage, 905
imported fire ants, 905
Precision, *Hypera postica*, 658
spatial distribution, 658
Precision level, *Acyrthosiphon pisum*, 749
bootstrap simulation, 749
Predation, *Anticarsia gemmatalis*, 127
Aphodius spp., 855
Araneae, 713
Calleida decora, 127
growth regulators, 855
phosphorus-32, 1494
Pseudatomoscelis seriatus, 1494
survival, 713
Preference, antibiosis, 1352
resistance mechanism, 1352
Preferential feeding, *Adoretus sinicus*, 1373
ethephon, 1373
Prey species, *Podisus maculiventris*, 119
selective toxicity, 119
Principal components, *Hypera postica*, 1265
ridge regression, 1265
Progeny development, buprofezin, 781
embryogenesis, 781
Protease, *Hypoderma lineatum*, 549
trypsinlike enzyme, 549
Prunus, cobalt-60, 859
Rhagoletis indifferens, 859
Prunus spp., embryogenesis, 1437
fruit, 568
fumigation, 1437
insect-plant interactions, 568, 867
quarantine pests, 568, 867
Pseudatomoscelis seriatus, phosphorus-32, 1494
predation, 1494
Pseudoplusia includens, acetylene reduction, 1217
Glycine max, 344, 1217
oviposition preference, 344
Pubescence, *Distrasa saccharalis*, 663
Saccharum spp., 663
Pupae, irradiation, 322
pink bollworm, 322
Pyrethroid resistance, cross-resistance, 1562
DDT resistance, 449
resistance management, 1562
Pyrethroids, apple injury levels, 1737
contact toxicity, 1443
evolution, 984
Heliothis, 1000
Heliothis armigera, 984
Heliothis virescens, 65, 1521, 1529, 1536
Hemileuca oliviae, 1304
honey bees, 1022
organophosphates, 804, 1521
Otiorhynchus sulcatus, 98
parasitoids, 804
phytophagous mites, 1737
residues, 1022
resistance, 984, 1000
resistance inheritance, 65
scale insect outbreaks, 1443
synergism, 1304
Taxus, 98
Pyrethroids: toxicity and ester, soybean loopers, 1014
tobacco budworms, 1014

Quadraspidiotus perniciosus, *Anarsia linestella*, 293
spray timings, 293
Quarantine, larval detection, 963
papayas, 963
Quarantine pests, fruit, 568
insect-plant interactions, 568, 867
Prunus spp., 568, 867
Quarantine treatments, *Ceratitis capitata*, 257
Dacus tryoni, 257

Radioisotope, economic damage, 1019
Solenopsis invicta, 1019
Rearing, *Diabrotica virgifera virgifera*, 410
Distrasa grandiosella, 423
overwintering technique, 423
Rearing methods, diapause, 1816
Sitodiplosis mosellana, 1816
Red imported fire ants, chemical control, 83
fenoxycarb, 83
Release rates, *Anthonomus grandis*, 936
oven aging, 936
Repellency, *Blattella germanica*, 391
behavior, 1810
insecticides, 391
movement, 1810
plant derivatives, 1126
Tribolium castaneum, 1126
Reproduction, constant temperature, 1097
Diuraphis noxia, 1097
hibernal quiescence, 490
oviposition, 490
stored grain, 488
Tribolium castaneum, 488
Reproductive response, *Bracon hebetor*, 102
5-fluorouracil, 102

Residual efficacy, cat fleas, 236
insecticides, 236
Residual plots, Arachnida, 759
heterogeneity, 759
Residual toxicity, beneficials, 892
Chilocorus nigritus, 1178
citrus, 1178
residues, 892
Residues, asparagus, 1196
beneficials, 892
control, 1196
honey bees, 1022
pyrethroids, 1022
residual toxicity, 892
Resistance, Acari, 731
Arachnida, 40, 57, 442, 766, 1088
antibiosis, 602
antixenosis, 602
avermectin, 1575
Blattella germanica, 536
bermudagrass, 697
bioassay methods, 442
Cacopsylla pyricola, 1394
cyhexatin, 442, 766
evolution, 984
flucythrinate, 40
Heliothis, 1000
Heliothis armigera, 45, 984
inheritance, 1008
insecticides, 74
malathion, 381
mode of inheritance, 57
organotins, 766
Oryza glaberrima, 934
Oryza sativa, 934
pears, 1394
pesticides, 1575
pyrethroids, 984, 1000
sanitation, 536
selection, 1008
Spodoptera frugiperda, 697
sticky-tape method, 731
stored peanuts, 1283
Tetranychus pacificus, 57
Tetranychus urticae, 40
Tribolium castaneum, 74, 381,
wheat, 731
Resistance inheritance, *Heliothis virescens*, 65
pyrethroids, 65
Resistance management, abamectin, 1516
acaricides, 1551
Arachnida, 1271, 1516, 1551
bioassay, 431
cabbage pest management, 437
cotton, 431
cross-resistance, 1562
cyhexatin, 1516
horn fly resistance, 1567
insecticide mixtures, 1567
insecticide resistance, 437
pesticide resistance, 1271, 1551
pyrethroid resistance, 1562
Tetranychus urticae, 1271
Resistance mechanisms, antibiosis, 1352
aphid behavior, 1760
Arachnida, 545
Boophilus microplus, 545
coumaphos resistance, 545
defoliator resistance, 1469
plant resistance, 1760
preference, 1352
soybeans, 1469
Resistance screening, infester rows, 327
sprinkler irrigation, 327
Rhagoletis indifferens, cobalt-60, 859
Prunus, 859
Rhododendron spp., plant growth regulators, 290
Stephanitis pyrioides, 290
Rhopalosiphum maidis, intrinsic rate of increase, 1383
life tables, 1383
Rhyacionia, *Dioryctria*, 1681
Leptoglossus occidentalis, 1681
Rice, *Nephotettix virescens*, 1485
trap crops, 1485
Ridge regression, *Hypera postica*, 1265
principal components, 1265
RO 13-5223, insect growth regulators, 722
stored-product insects, 722
Root regrowth, adult emergence, 1450
lodging, 1450
Root reserves, alfalfa, 641, 1803
biomass, 641
Sitona hispidulus, 1803

Saccharum spp., *Distrasa saccharalis*, 663
pubescence, 663
Safety tests, *Lagenidium giganteum*, 158
mosquitoes, 158
Saissetia oleae, *Aonidiella aurantii*, 1581
embryogenesis, 1581
Salivary sheaths, feeding, 1819
staining, 1819
Sampling, alfalfa, 995
Arachnida, 14
cantharidin, 1456
Coptotermes formosanus, 1611
detection, 1611
Epicauta, 1456
European red mite, 14
Hypera postica, 995
insecticides, 673
integrated control, 14
Pectinophora gossypiella, 673
potato insects, 1113

spinach, 741
techniques, 741
Sampling plans, Colorado potato beetle, 692
tomatoes, 692
Sanitation, *Blattella germanica*, 536
resistance, 536
Scale insect outbreaks, contact toxicity, 1443
pyrethroids, 1443
Scale insects, *Aonidiella aurantii*, 88
degree-days, 1181
juvenile hormone analog, 88
phenology, 1181
Scarab grubs, soil insecticides, 785
turfgrass, 785
Schizaphis graminum, biotype, 396, 1754
host plant resistance, 396, 1754
Scolytidae, pheromones, 1715
semiochemicals, 1715
Screwworms, larval nutrition, 562
larval rearing, 562
Seed alfalfa, burning, 668
insects, 668
Seed production, Douglas-fir, 281
insect damage, 281
Selection, Arachnida, 1008
inheritance, 1008
resistance, 1008
Selective adsorption, merchant grain beetles, 1237
silica aerogel, 1237
Selective toxicity, *Podisus maculiventris*, 119
prey species, 119
Semiochemicals, *Diabrotica barberi*, 1359
Diabrotica virgifera virgifera, 1359
pheromones, 1715
Scolytidae, 1715
Sequential sampling, bud moth, 220
Serratia marcescens, *Heliothis virescens*, 148
phenoloxidase, 148
Sex attractant, *Anthonomus eugenii*, 1499
bioassays, 1499
Sex ratio, biological control, 1503
parasitoid rearing, 1503
Sexual sterilization, vision, 1102
Silica aerogel, adhesives, 1231
merchant grain beetles, 1237
selective adsorption, 1237
stored-product insects, 1231
Simulated damage, *Diabrotica undecimpunctata howardi*, 1209
feeding deterrent, 1209
Sitodiplosis mosellana, diapause, 1816
rearing methods, 1816
Sitona hispidulus, alfalfa, 1803
root reserves, 1803
Sitophilus, postharvest, 727
storage, 727
Slow-acting insecticides, diiodomethyl *para*-tolyl sulfone, 850
feeding deterrency, 850
Soil cores, differential water flows, 1241
egg extraction, 1241
Soil insecticides, scarab grubs, 785
turfgrass, 785
Solanum spp., *Myzus persicae*, 361
Solanum tuberosum, *Empoasca fabae*, 304
nymphal vertical distribution, 304
Solenopsis invicta, economic damage, 1019
radioisotope, 1019
Sorghum, Banks grass mite, 300
corn, 300
Southern green stink bug, feeding preference, 522
stylet sheaths, 522
Southwestern corn borers, *Diatraea grandiosella*, 1474
pheromone formulation, 1474
Soybean loopers, host plant resistance, 310
pyrethroids: toxicity and ester hydrolysis, 1014
tobacco budworm, 1014
velvetbean caterpillar, 310
Soybeans, defoliation, 1363
defoliator resistance, 1469
economic injury levels, 1
feeding behavior, 812
injury guilds, 1
resistance mechanisms, 1469
stylet sheath, 812
yield loss, 1363
Spatial distribution, *Hypera postica*, 658
precision, 658
Spinach, sampling, 741
techniques, 741
Spissistilus festinus, distribution, 1057
eggs, 1057
Spodoptera exigua, biological control, 470
chrysanthemums, 470
Spodoptera frugiperda, *Anticarsia gemmatalis*, 966
Bacillus thuringiensis, 463
Beta-exotoxin, 463
bermudagrass, 697
bermudagrass resistance, 1463
Cynodon dactylon, 910, 922
dietary conditioning, 1463
forage quality and yield, 922
leaf extracts, 910
pheromone traps, 966
resistance, 697
Spodoptera littoralis, *Bemisia tabaci*, 621
insecticide residue, 621
Spray timings, *Anaresia lineatella*, 293
Quadraspidiotus perniciosus, 293
Sprinkler irrigation, infester rows, 327
resistance screening, 327
Square abscission, *Gossypium hirsutum*, 1328
square damage, 1328
Square damage, *Gossypium hirsutum*, 1328
square abscission, 1328
Stable flies, bimazir, 400
chemosterilant, 400
[illegible], eggs, 403
feeding, 1819
larvae, 403
salivary sheaths, 1819
Steinernema feltiae, *Alphitobius diaperinus*, 800
entomogenous nematodes, 821
Nematoda, 800, 821
nematophagous microarthropods, [illegible]
Stephanitis pyrioides, plant growth regulators, 290
Rhododendron sp., 290
Sterility, *Blattella germanica*, 1404
growth regulators, 1662
integrated pest management, 1404
Musca domestica, 1662
Sticky-tape method, Acari, 731
resistance, 731
wheat, 731
Stink bug feeding effects, *Euschistus variolarius*, 649
growth deformities, 649
Stone fruit, fumigation, 1120
oriental fruit flies, 1120
Storage, postharvest, 727
Sitophilus, 727
Stored corn, grain moisture content, 949
grain protectants, 949
Stored grain, insecticide residues, 718
in-transit protectant, 718
reproduction, 488
Tribolium castaneum, 488
Stored peanuts, resistance, 1283
Stored-product insects, adhesives, 1231
insect growth regulators, 722
RO 13-5223, 722
silica aerogel, 1231
Structure-activity, attractants, 1052
Ceratitis capitata, 1052
Diabrotica barberi, 826
lures, 826
Stylet sheath, feeding behavior, 812
soybeans, 812
feeding preference, 522
Southern green stink bug, 522
Sunflower pests, sunflower varieties, 527
varietal resistance, 527
Sunflower varieties, sunflower pests, 527
varietal resistance, 527
Supella longipalpa, *Blattella germanica*, 1641
photodynamic dyes, 1641
Survival, Araneae, 713
corn, 178
predation, 713
tillage, 178
Sweet sorghum, *Distrees saccharalis*, 349
economic injury level, 349
Synergism, *Bemisia tabaci*, 34, 110
DEF, 110
economics, 989
Hemileuca oliviae, 1304
insecticide mixtures, 989
insecticide resistance, 34
pyrethroids, 1304
Systemic insecticides, implants, 573
injections, 573
Systemic pesticides, Acari, 899
natural enemies, 899

Taxus, *Otiorhynchus sulcatus*, 98
pyrethroids, 98
Techniques, sampling, 741
spinach, 741
Teflubenzuron resistance, diamondback moths, 1277
Temperature, development, 1045, 1377
Heteroptera, 1377
jack pine budworms, 1045
Temperature coefficient, permethrin, 115
Trichoplusia ni, 115
Tephritidae, pheromones, 1163
Toxotrypana curvicauda, 1163
Tetranychus, Arachnida, 770
cellulose acetate electrophoresis, 770
isozymes, 770
Tetranychus pacificus, Arachnida, 57
mode of inheritance, 57
resistance, 57
Tetranychus urticae, Arachnida, 40, 863, 1155, 1271
behavioral response, 1155
flucythrinate, 40
fluvalinate, 863
kiwifruit, 863
pesticide resistance, 1271
resistance, 40
resistance management, 1271
tolerance, 1155
Theriosphis, host plant resistance, 1768
Thermal summation, diurnal models, 9
maritime climate, 9
Threshold temperatures, degree-days, 1346
Oscinella frit, 1346
Thresholds, cauliflower, 1726
Lepidoptera, 1726
Thrips tabaci, *Brassica oleracea* var. *capitata*, 1062, 1186, 1190
plant resistance, 1062, 1186, 1190
Thyanta pallidovirens, *Leptoglossus* spp., 1152
Pistacia vera, 1152
Tillage, corn, 178
survival, 178
Tobacco budworms, pyrethroids: toxicity and ester hydrolysis, 1014
soybean looper, 1014
Tolerance, Arachnida, 1155
behavioral response, 1155
Tetranychus urticae, 1155
Tomatoes, *Aculops lycopersici*, 816
aphids, 1107

Arachnida, 816
Colorado potato beetle, 692
damage, 189
histology, 816
integrated pest management, 1107
Nesara viridula, 189
sampling plans, 692
Toxic and developmental effects, *Blattella germanica*, 225
juvenile hormone analogs, 225
Toxic baits, *Vespula pensylvanica*, 228
western yellowjacket, 228
Toxicity, abamectin, 738
Arachnida, 1586
Choristoneura occidentalis, 1678
Dendroctonus ponderosae, 274
mites, 1586
MK936, 738
moisture, 1678
monosodium methanearsonate, 274
pesticides, 1586
Toxotrypana curvicauda, pheromones, 1163
Tephritidae, 1163
Trap crops, *Nephotettix virescens*, 1485
rice, 1485
Trap design, *Heliothis virescens*, 1750
pheromone trapping, 1750
Traps, dispensers, 1068
trimedlure, 1068
Treatment thresholds, antifeedants, 914
defoliation, 914
Tribolium castaneum, insecticides, 74
malathion, 381
plant derivatives, 1226
repellency, 1226
reproduction, 488
resistance, 74, 381
stored grain, 488
Trichoplusia ni, permethrin, 115
temperature coefficient, 115
Trimedlure, dispensers, 1068
traps, 1068
Trypsinlike enzyme, *Hypoderma lineatum*, 549
protease, 549
Tungro, *Nephotettix virescens*, 1369
nonedible seed oils, 1369

Turfgrass, scarab grubs, 785
soil insecticides, 785

Urban entomology, cockroaches, 1645
morphology, 1645

Varietal resistance, sunflower pests, 527
sunflower varieties, 527
Vector efficiency, *Armoracia rusticana*, 172
mollicute, 172
Velvetbean caterpillar, host plant resistance, 310
soybean looper, 310
Verticillium albo-atrum, alfalfa, 1799
aphids, 1799
Vespula pensylvanica, toxic baits, 228
western yellowjacket, 228
Virus production, *Autographa californica*, 1027
baculoviruses, 1027
Vision, sexual sterilization, 1102

Western flower thrips, abnormal squares, 1785
Frankliniella occidentalis, 1785
Western yellowjacket, toxic baits, 228
Vespula pensylvanica, 228
Wheat, Acari, 731
resistance, 731
sticky-tape method, 731
Wind-oriented traps, *Cochliomyia hominivorax*, 241
collections, 241

Xanthogaleruca luteola, elm leaf beetles, 877
insecticides, 877

Yield losses, aphids, 317
celery, 1721
cereal crops, 317
defoliation, 1363
Liriomyza trifolii, 1721
soybeans, 1363
Yield reduction, European corn borers, 1203
Ostrinia nubilalis, 1203